AUTHOR INDEX

Abbona, F. and R. Boistelle, Growth morphology and crystal habit of struvite crystals ($MgNH_4PO_4 \cdot 6\ H_2O$) 46 (1979) 339
Agarwal, M.K., K. Nagi Reddy and H.B. Patel, Growth of tungstenite single crystals by direct vapour transport method 46 (1979) 139
Agnihotri, O.P., A.K. Jain and B.K. Gupta, Single crystal growth of stannous selenide 46 (1979) 491
Akita, K., T. Kusunoki, S. Komiya and T. Kotani, Observation of etch pits produced in InP by new etchants 46 (1979) 783
Anderson, B.J. and J. Hallett, Influence of environmental saturation and electric field on growth and evaporation of epitaxial ice crystals 46 (1979) 427
Antony, A.V., see Joshi 46 (1979) 7
Arend, H., W. Huber, W. Freudenreich and H. Surbeck, Solution growth of $RbAg_4I_5$ crystals 46 (1979) 286
Arends, J., J. Schuthof, W.H. van der Linden, P. Bennema and P.J. van den Berg, Preparation of pure hydroxyapatite single crystals by hydrothermal recrystallization 46 (1979) 213

Badurski, M. and K. Stróż, Growth and phase transitions in single crystals of $(K_xNa_{1-x})NbO_3$ 46 (1979) 274
Bärner, K. and H. Berg, The growth figures of MnAs 46 (1979) 763
Barns, R.L., see Laudise 46 (1979) 379
Bartlett, B.E., P. Capper, J.E. Harris and M.J.T. Quelch, The effects of growth speed on the compositional variations in crystals of cadmium mercury telluride 46 (1979) 623
Bennema, P., see Sunagawa 46 (1979) 451
Bennema, P., see Arends 46 (1979) 213
Benz, K.W. and G. Müller, GaSb and InSb crystals grown by vertical and horizontal travelling heater method 46 (1979) 35
Berg, H., see Bärner 46 (1979) 763
Berliner, L.B., see Melikhov 46 (1979) 79
Bhalla, A.S., L.E. Cross and R.E. Newnham, Polar twins in lithium metasilicate and metagermanate (Li_2SiO_3 Li_2GeO_3) single crystals 46 (1979) 262
Bholagir, A., see Sharon 46 (1979) 715
Blackwell, J.C., see Small 46 (1979) 253
Blomen, L.J.M.J., see Van Leeuwen 46 (1979) 96
Boistelle, R., see Abbona 46 (1979) 339
Boistelle, R., see Lundager Madsen 46 (1979) 681
Bojarski, Z. and M. Surowiec, Morphology and dislocation structure of iron whiskers 46 (1979) 43
Borodin, V.A., L.B. Davidova, V.N. Erqfeev, A.V. Shdanov, S.A. Startsev and V.A. Tatarchenko, The effect of the solidification front shape on the temperature distribution in the crystal 46 (1979) 757

Capper, P., J.E. Harris, D. Nicholson and D. Cole, An improved system for the Bridgman growth of crystals with toxic and/or highly volatile components 46 (1979) 575
Capper, P., see Bartlett 46 (1979) 623
Cardew, P.T., R.J. Davey and J. Garside, Evaluation of supersaturation in crystal growth from solution 46 (1979) 534
Caslavsky, J.L. and D. Viechnicki, Melt growth of Nd : $Y_3Al_5O_{12}$ (Nd : YAG) using the heat exchange method (HEM) 46 (1979) 601
Champness, C.H., see Shih 46 (1979) 458
Cherian, K.A., see Patel 46 (1979) 706
Choukroun, S., J.-C. Launay, M. Pouchard et M. Combarnous, Définition des régimes hydrodynamiques rencontrés au cours de la cristallisation par transport en phase gazeuse 46 (1979) 644
Ciszek, T.F., G.H. Schwuttke and K.H. Yang, Directionally solidified solar-grade silicon using carbon crucibles 46 (1979) 527
Clawson, A.R., W.Y. Lum and G.E. McWilliams, Control of substrate degradation in InP LPE growth with PH_3 partial pressure 46 (1979) 300
Cockayne, B. and B. Lent, A complexity in the solidification behaviour of molten $Y_3Al_5O_{12}$ 46 (1979) 371
Cockayne, B. and B. Lent, Single crystal growth of 12 $CaO \cdot 7\ Al_2O_3$ 46 (1979) 467
Cohen, U., Electrocrystallization of NbO and hollow NbO_2 needles from molten salts 46 (1979) 147

Cole, D., see Capper 46 (1979) 575
Combarnous, M., see Choukroun 46 (1979) 644
Constant, G., see Zaouk 46 (1979) 415
Coriell, S.R. and R.F. Sekerka, Lateral solute segregation during unidirectional solidification of a binary alloy with a curved solid–liquid interface 46 (1979) 479
Cowher, M.E. and T.O. Sedgwick, Low temperature CVD garnet growth 46 (1979) 399
Cross, L.E., see Bhalla 46 (1979) 262
Csillag, F.J., see Wiedemeier 46 (1979) 189

Daguet, C., see Joukoff 46 (1979) 445
Davarashvili, O.I., see Muszynski 46 (1979) 487
Davey, R.J., see Cardew 46 (1979) 534
Davidova, L.B., see Borodin 46 (1979) 757
Delfino, M., G.M. Loiacono, W.N. Osborne and G. Kostecky, Solution growth of L(+) hydrazonium tartrate 46 (1979) 241
Delfino, M., see Loiacono 46 (1979) 105
Depmeier, W., H. Schmid, B.I. Noläng and M.W. Richardson, An application of the flux function method of a five-component system: the chemical vapour transport of Ni–Cl boracite 46 (1979) 718
Durand, J.M., see Hollan 46 (1979) 665
Dziuba, Z., see Gołacki 46 (1979) 293

Erofeev, V.N., see Borodin 46 (1979) 757

Faktor, M.M., I. Garrett and M.H. Lyons, The modified entrainment method and its application to the study of heterogeneous reactions 46 (1979) 21
Faktor, M.M., see Giess 46 (1979) 620
Fourcaudot, M. Gourmala and J. Mercier, Vapor phase transport and crystal growth of molybdenum trioxide and molybdenum ditelluride 46 (1979) 132
Frank, F.C., see Giess 46 (1979) 620
Franke, W., H. Ghobarkar and R.B. Heimann, The morphology of hydrothermally grown strontium paracelsian 46 (1979) 474
Freudenreich, W., see Arend 46 (1979) 286
Fukuda, T., S. Matsumura, H. Hirano and T. Ito, Growth of $LiTaO_3$ single crystal for SAW device applications 46 (1979) 179
Furmanik, Z., see Gołacki 46 (1979) 293

Garrett, I., see Faktor 46 (1979) 21
Garrett, J.D., J.E. Greedan, K.E. Locke and C.V. Stager, Growth of large single crystals of Heusler alloys, Ni_2MnSn and $Ni_2Mn_{1-x}V_xSn$, for neutron inelastic scattering experiments 46 (1979) 463
Garside, J., see Söhnel 46 (1979) 238
Garside, J., see Cardew 46 (1979) 534
Garton, G., see Maqsood 46 (1979) 671
George, J. and S.K. Premachandran, Growth of phthalic anhydride spherulites 46 (1979) 297
Ghobarkar, H., see Franke 46 (1979) 474
Giess, E.A., M.M. Faktor and F.C. Frank, The liquidus temperature and growth–dissolution kinetics of garnet liquid phase epitaxy 46 (1979) 620
Gołacki, Z., Z. Dziuba, Z. Furmanik and J. Makowski, Crystallization of HgTe crystals from the vapour phase 46 (1979) 293
Gossard, A.C., see Petroff 46 (1979) 172
Gourmala, M., see Fourcaudot 46 (1979) 132
Greedan, J.E., see Garrett 46 (1979) 463
Grimouille, G., see Joukoff 46 (1979) 445
Grün, R., The growth of β-Si_3N_4 single crystals 46 (1979) 143
Gupta, B.K., see Agnihotri 46 (1979) 491

Hábovčík, P., see Srnánek 46 (1979) 55
Hales, M.C. and J.R. Knight, The electrical properties of vapour epitaxial indium phosphide grown in the presence of oxygen 46 (1979) 582
Hallais, J., see Theeten 46 (1979) 245
Hallett, J., see Anderson 46 (1979) 427
Hamamura, K. and K. Takenouchi, Growth and morphology of copper–nickel alloy crystals by hydrogen reduction of a CuI–$NiBr_2$ mixture 46 (1979) 804

Hamid, S.A., Electron microscopic characterization of the hydrothermal growth of synthetic 11 A tobermorite ($Ca_6Si_6O_{18} \cdot 4H_2O$) crystals 46 (1979) 421
Hara, S., see Yamada 46 (1979) 10
Hari Babu, V., see Somaiah 46 (1979) 711
Harris, J.E., see Capper 46 (1979) 575
Harris, J.E., see Bartlett 46 (1979) 623
Hayes, T.J., A. Mottram and A.R. Peaker, Nitrogen doping profiles in gallium phosphide grown by liquid phase epitaxy 46 (1979) 59
Heimann, R.B., see Franke 46 (1979) 474
Hirano, H., see Fukuda 46 (1979) 179
Hogan, L.M., see St. John 46 (1979) 387
Hogan, L.M., see St. John 46 (1979) 585
Hollan, L. and J.M. Durand, Fast growth in GaAs VPE at low temperature and high partial pressures 46 (1979) 665
Hopkins, R.H., see Seidensticker 46 (1979) 51
Hosaka, M., see Yoshimura 46 (1979) 691
Hottier, F., see Theeten 46 (1979) 245
Huber, W., see Arend 46 (1979) 286

Ii, N., see Kitamura 46 (1979) 277
It, N., see Shindo 46 (1979) 307
Ii, N. and I. Shindo, Single crystal growth of akermanite ($Ca_2MgSi_2O_7$) and gehlenite ($Ca_2Al_2SiO_7$) by the floating zone method 46 (1979) 569
Imamura, Y., see Takeda 46 (1979) 75
Inagaki, M., see Naka 46 (1979) 461
Ishii, M., T. Tanaka and W. Susaki, Liquid phase epitaxial growth of Zn and S doped GaAs 46 (1979) 265
Ito, T., see Fukuda 46 (1979) 179
Itoh, H., see Takahashi 46 (1979) 69
Iwasaki, H., see Sugii 46 (1979) 289
Izumi, K., see Watanabe 46 (1979) 747

Jain, A.K., see Agnihotri 46 (1979) 491
Joshi, M.S. and A.V. Antony, Nucleation in supersaturated potassium dihydrogen orthophosphate solutions 46 (1979) 7
Joukoff, B., G. Grimouille, G. Leroux, C. Daguet and A.M. Pougnet, Crystal growth and crystallographic data of some Ln_2 $(MoO_4)_3$ type mixed rare earth molybdates 46 (1979) 445

Kamijoh, T., see Kuriyama 46 (1979) 151
Kamijoh, T. and K. Kuriyama, Single crystal growth of $LiInS_2$ 46 (1979) 801
Kan, H., H. Katsuno and T. Sukegawa, Liquid phase epitaxial growth of lattice-matched GaP–$Ga_{0.5}Al_{0.5}P$–GaP layer under controlled phosphorus vapor pressure and reduced oxygen contamination 46 (1979) 637
Kato, A., see Tamari 46 (1979) 221
Katsuno, H., see Kan 46 (1979) 637
Kawada, K., see Naka 46 (1979) 461
Kimura, S., see Kitamura 46 (1979) 277
Kimura, S., see Shindo 46 (1979) 307
Kitamura, K., N. Ii, I. Shindo and S. Kimura, Interface shape and horizontal variations of Al and Ga contents in substituted YIG single crystals grown by the floating zone method 46 (1979) 277
Kitamura, K., see Shindo 46 (1979) 307
Klein, F.J. and J. Pötschke, The influence of impurities on the crystallization of supercooled copper melts 46 (1979) 112
Knight, J.R., see Hales 46 (1979) 582
Kohra, K., see Yoshimura 46 (1979) 691
Komiya, S., see Akita 46 (1979) 783
Komunjer, L., see Marković 46 (1979) 701
Kondo, S., K. Sugii, S. Miyazawa and S. Uehara, LPE growth of $Li(Nb,Ta)O_3$ solid-solution thin film waveguides on $LiTaO_3$ substrates 46 (1979) 314
Kondo, S., see Sugii 46 (1979) 607
Könneke, D. and R. Lacmann, The dissolution of copper single crystal spheres 46 (1979) 15
Korec, J., Model of silicon epitaxial growth in $SiCl_4$–HCl–H_2 system based on flow graph 46 (1979) 362

Korec, J., Flow-graph model of epitaxial growth of $A^{III}B^{V}$ compounds from the vapour phase 46 (1979) 655
Kostecky, G., see Loiacono 46 (1979) 105
Kostecky, G., see Delfino 46 (1979) 241
Kotani, T., see Akita 46 (1979) 783
Kubota, E., see Sugii 46 (1979) 289
Kuriyama, K. and T. Kamijoh, Single crystal growth of Li_2ZnGe 46 (1979) 151
Kuriyama, K., see Kamijoh 46 (1979) 801
Kusunoki, T., see Akita 46 (1979) 783

Lacmann, R., see Könneke 46 (1979) 15
Langlois, W.E., Effect of the buoyancy parameter on Czochralski bulk flow in garnet growth 46 (1979) 743
Laudan, H., see Mateika 46 (1979) 85
Laudise, R.A. and R.L. Barns, Are icicles single crystals? 46 (1979) 379
Launay, J.-C., see Choukroun 46 (1979) 644
Lebugle, A., see Zaouk 46 (1979) 415
Lemaignan, C. and Y. Malmejac, Unidirectional solidification of irregular silver–germanium eutectic alloys 46 (1979) 771
Lent, B., see Cockayne 46 (1979) 371
Lent, B., see Cockayne 46 (1979) 467
Leroux, G., see Joukoff 46 (1979) 445
Lilley, P., Mass transport processes associated with the epitaxial growth of ZnS in H_2: the effects of a bypass flow 46 (1979) 1
Lilov, S.K., Yu.M. Tairov and V.F. Tsvetkov, Study of silicon carbide epitaxial growth kinetics in the SiC-C system 46 (1979) 269
Locke, K.E., see Garrett 46 (1979) 463
Loiacono, G.M., W.N. Osborne, M. Delfino and G. Kostecky, Single crystal growth and properties of deuterated triglycine fluoroberyllate 46 (1979) 105
Loiacono, G.M., see Delfino 46 (1979) 241
Lum, W.Y., see Clawson 46 (1979) 300
Lundager Madsen, H.E., Localized adsorption in one layer on a crystal-solution interface 46 (1979) 495
Lundager Madsen, H.E. and R. Boistelle, Growth kinetics of the (001) faces of hexatriacontane ($C_{36}H_{74}$) in solution 46 (1979) 681
Lyons, M.H., see Faktor 46 (1979) 21

Majni, G. and G. Ottaviani, Growth kinatics of ⟨111⟩ Si through an Al layer by solid phase epitaxy 46 (1979) 119
Makowski, J., see Gołacki 46 (1979) 293
Malmejac, Y., see Lemaignan 46 (1979) 771
Maqsood, A., B.M. Wanklyn and G. Garton, Flux growth of polymorphic rare-earth disilicates, $R_2Si_2O_7$ (R = Tm, Er, Ho, Dy) 46 (1979) 671
Marković, M. and L. Komunjer, A new method to follow crystal growth by Coulter Counter 46 (1979) 701
Masumoto, K., see Nakatani 46 (1979) 205
Mateika, D. and H. Laudan, Czochralski growth of barium hexaaluminate single crystals 46 (1979) 85
Matsui, J., H. Watanabe and Y. Seki, X-ray study of LEC-grown InP crystals 46 (1979) 563
Matsumura, S., see Fukuda 46 (1979) 179
McWilliams, G.E., see Clawson 46 (1979) 300
Melikhov, I.V. and L.B. Berliner, Crystallization of salts from supersaturated solutions; diffusion kinetics 46 (1979) 79
Mercier, J., see Fourcaudot 46 (1979) 132
Merenda, P., see Sol 46 (1979) 557
Mihama, K., see Yamauchi 46 (1979) 615
Miller, D.C., The strain configuration within the facet of Czochralski grown indium antimonide 46 (1979) 31
Miyazawa, S., see Kondo 46 (1979) 314
Miyazaki, T., see Yoshimura 46 (1979) 691
Mizuno, H., see Sugiyama 46 (1979) 788
Motojima, S., see Sugiyama 46 (1979) 788
Mottram, A., see Hayes 46 (1979) 59
Müller, G., see Benz 46 (1979) 35
Muszynski, Z., O.I. Davarashvili, N.G. Riabtsev and A.P. Shotov, Investigation of liquidus surface in Pb–Sn–Te system by simplex lattice method 46 (1979) 487

Nagi Reddy, K., see Agarwal 46 (1979) 139
Naka, S., Y. Takeda, K. Kaweda, K. Kawada, and M. Inagaki, Growth of single crystals of $Na_3Al_2Li_3F_{12}$ garnet under hydrothermal conditions 46 (1979) 461
Nakagawa, M., see Okabe 46 (1979) 504
Nakatani, I. and K. Masumoto, Vapor-phase growth of epitaxial $Ga_{1-x}In_xSb$ using open-tube flow system 46 (1979) 205
Nancollas, G.H., see Tomažič 46 (1979) 355
Nanjo, J., see Yamada 46 (1979) 10
Nassau, J., see Nassau 46 (1979) 157
Nassau, K. and J. Nassau, The history and present status of synthetic diamond 46 (1979) 157
Nenow, D. and V. Stoyanova, Appearance of non-singular surfaces on vapour-grown ice crystals 46 (1979) 779
Newnham, R.E., see Bhalla 46 (1979) 262
Nicholson, D., see Capper 46 (1979) 575
Nishizawa, J., see Nonomura 46 (1979) 795
Noläng, B.I., see Depmeier 46 (1979) 718
Nomura, S., see Yamada 46 (1979) 10
Nonomura, Y., Y. Okuno and J. Nishizawa, Surface morphology of GaAs grown by vapour phase epitaxy 46 (1979) 795

Ogawa, T., see Yoshimura 46 (1979) 691
Qkabe, T. and M. Nakagawa, Growth of α-Ag_2S whiskers in a VLS system 46 (1979) 504
Okuda, H., see Sekiya 46 (1979) 410
Okuno, Y., see Nonomura 46 (1979) 795
Oota, T., H. Saito and I. Yamai, Synthesis of potassium hexatitanate fibers by the hydrothermal dehydration method 46 (1979) 331
Osborne, W.N., see Loiacono 46 (1979) 105
Osborne, W.N., see Delfino 46 (1979) 241
Otooni, M.A., A new technique for preparation of thin single crystal films of copper 46 (1979) 209
Ottaviani, G., see Magni 46 (1979) 119

Pajaczkowska, A., see Piekarczyk 46 (1979) 483
Paorici, C., Interrelation between interface and vapour transport kinetics in chemical vapour deposition 46 (1979) 523
Patel, A.R. and K.A. Cherian, Overgrowths on diamond at atmospheric pressure 46 (1979) 706
Patel, H.B., see Agarwal 46 (1979) 139
Pavlovska, A., Experimentelle Untersuchungen der Rauigkeit der Grenzfläche Kristall-Dampf von Adamantan 46 (1979) 551
Peaker, A.R., see Hayes 46 (1979) 59
Petroff, P.M., A.C. Gossard, A. Savage and W. Wiegmann, Molecular beam expitaxy of the Ge and $Ga_{1-x}Al_xAs$ ultra thin film superlattices 46 (1979) 172
Piekarczyk, W. and A. Pajaczkowska, Dissociation processes and crystal growth of gadolinium gallium garnet 46 (1979) 483
Podolinski, V.V., Investigation of structural formation and growth kinetics of organic crystals 46 (1979) 511
Potemski, R.M., see Small 46 (1979) 253
Pötschke, J., see Klein 46 (1979) 112
Pouchard, M., see Choukroun 46 (1979) 644
Pougnet, A.M., see Joukoff 46 (1979) 445
Pradhananga, R., see Sharon 46 (1979) 715
Prasad, B., see Sharon 46 (1979) 715
Premachandran, S.K., see George 46 (1979) 297

Quelch, M.J.T., see Bartlett 46 (1979) 623

Riabtsev, N.G., see Muszynski 46 (1979) 487
Richardson, M.W., see Depmeier 46 (1979) 718
Russell, G.J. and J. Woods, The growth of CdS in sealed silica capsules 46 (1979) 323

Saito, H., see Oota 46 (1979) 331
Sasaki, A., see Takeda 46 (1979) 75
Savage, A., see Petroff 46 (1979) 172
Scharmann, A., see Schwabe 46 (1979) 125
Schmid, H., see Depmeier 46 (1979) 718

Schmid, H. and H. Tippman, Gas phase synthesis of epitaxial layers of nickel–chlorine boracite on chromium–chlorine boracite 46 (1979) 723
Schwabe, D. and A. Scharmann, Some evidence for the existence and magnitude of a critical Marangoni number for the onset of oscillatory flow in crystal growth melts 46 (1979) 125
Schwuttke, G.H., see Ciszek 46 (1979) 527
Sedgwick, T.O., see Cowher 46 (1979) 399
Seidensticker, R.G., A.M. Stewart and R.H. Hopkins, Solute partitioning during silicon dendritic web growth 46 (1979) 51
Sekerka, R.F., see Coriell 46 (1979) 479
Seki, Y., see Matsui 46 (1979) 563
Sekiya, T. and H. Okuda, Growth of Cr_2O_3 crystals by the decomposition of a $K_2Cr_2O_7$ melt 46 (1979) 410
Severin, P.J., Isotope separation by chemical vapour deposition and related processes 46 (1979) 630
Sharon, M., R. Pradhananga, B. Prasad and A. Bholagir, An inexpensive zone melting furnace for purification and crystal growth 46 (1979) 715
Shdanov, A.V., see Borodin 46 (1979) 757
Shih, I. and C.H. Champness, Etch pit orientation in Czochralski-grown tellurium crystals 46 (1979) 458
Shindo, I., see Kitamura 46 (1979) 277
Shindo, I., N. Ii, K. Kitamura and S. Kimura, Single crystal growth of substituted yttrium iron garnets $Y_3Fe_{5-x}(Ga,Al)_xO_{12}$ by the floating zone method 46 (1979) 307
Shindo, I., see Ii 46 (1979) 569
Shotov, A.P., see Muszynski 46 (1979) 487
Small, M.B., J.C. Blackwell and R.M. Potemski, An automated system for the growth of multilayered structures in the (GaAl)As system by LPE 46 (1979) 253
Söhnel, O. and J. Garside, The thermodynamic driving force for crystallization from solution 46 (1979) 238
Sokołowski, M., Deposition of wurtzite type boron nitride layers by reactive pulse plasma crystallization 46 (1979) 136
Sol, N. and P. Merenda, Bridgman and Czochralski growth of β-phase $Na_xV_2O_5$ 46 (1979) 557
Somaiah, K. and V. Hari Babu, Growth and dissolution of BaFBr crystals 46 (1979) 711
Srnánek, R. and P. Hábovčík, A method for diffusion coefficient determination of phosphorus in liquid indium 46 (1979) 55
Stager, C.V., see Garrett 46 (1979) 463
Startsev, S.A., see Borodin 46 (1979) 757
Stewart, A.M., see Seidensticker 46 (1979) 51
St. John, D.H. and L.M. Hogan, Metallography and growth of crystallography of Al_3Ti in Al–Ti alloys up to 5wt% Ti 46 (1979) 387
St. John, D.H. and L.M. Hogan, Segregation patterns in unidirectionally solidified Al–Ti solid solution alloys 46 (1979) 585
Stoyanova, V., see Nenow 46 (1979) 779
Strom, C.S., Graphical presentation of crystal habits 46 (1979) 185
Stróż, K., see Badurski 46 (1979) 274
Sugii, K., E. Kubota and H. Iwasaki, Large-sized InP single crystals by the synthesis, solute diffusion technique 46 (1979) 289
Sugii, K., see Kondo 46 (1979) 314
Sugii, K. and S. Kondo, Direct measurement of temperature dependence of lattice mismatches between LPE-grown $Li(Nb,Ta)O_3$ film and $LiTaO_3$ substrate 46 (1979) 607
Sugiura, T., A. Tanaka and T. Sukegawa, Low temperature growth of GaP LPE layers from indium solvent 46 (1979) 591
Sugiyama, K., H. Mizuno, S. Motojima and Y. Takahashi, Single crystal growth of titanium carbide from the vapour by a modified hot wire method 46 (1979) 788
Sukegawa, T., see Sugiura 46 (1979) 595
Sukegawa, T., see Kan 46 (1979) 637
Sunagawa, I. and P. Bennema, Modes of vibrations in step trains: Rhythmical bunching 46 (1979) 451
Surbeck, H., see Arend 46 (1979) 286
Surowiec, M., see Bojarski 46 (1979) 43
Susaki, W., see Ishii 46 (1979) 265

Tairov, Yu.M., see Lilov 46 (1979) 269
Tairov, Yu.M. and V.F. Tsvetkov, Investigations of kinetic and thermal conditions of silicon carbide epitaxial layer growth from the vapour phase 46 (1979) 403
Takahashi, T., H. Itoh and T. Yamaguchi, Growth parameters and crystal morphology of vapor-deposited niobium nitride 46 (1979) 69
Takahashi, Y., see Sugiyama 46 (1979) 788
Takeda, Y., Y. Imamura and A. Sasaki, Quasi-grown layers in liquid phase epitaxial growth 46 (1979) 75

Takeda, Y., see Naka 46 (1979) 461
Takenouchi, K., see Hamamura 46 (1979) 804
Taki, S., see Yoshimura 46 (1979) 691
Tamari, N. and A. Kato, Catalytic effect of various metals and refractory oxides on the growth of TiC whiskers by chemical vapor deposition 46 (1979) 221
Tanaka, A., see Sugiura 46 (1979) 591
Tanaka, T., see Ishii 46 (1979) 265
Theeten, J.B., F. Hottier and J. Hallais, Ellipsometric assesment of (Ga, Al)As/GaAs epitaxial layers during their growth in an organometallic VPE system 46 (1979) 245
Tippman, H., see Schmid 46 (1979) 723
Tomažič, B. and G.H. Nancollas, The kinetics of dissolution of calcium oxalate hydrates 46 (1979) 355
Tsvetkov, V.F., see Lilov 46 (1979) 269
Tsvetkov, V.F., see Tairov 46 (1979) 403

Uehara, S., see Kondo 46 (1979) 314

Van den Berg, P.J., see Arends 46 (1979) 213
Van der Linden, W.H., see Arends 46 (1979) 213
Van Erk, W., A solubility model for rare-earth iron garnets in a PbO/B_2O_3 solution 46 (1979) 539
Van Leeuwen, C., On the driving force for crystallization: the growth affinity 46 (1979) 91
Van Leeuwen, C. and L.J.M.J. Blomen, On the presentation of growth curves for growth from solution 46 (1979) 96
Viechnicki, D., see Caslavsky 46 (1979) 601

Wada, T., see Yoshimura 46 (1979) 691
Walker, P.J., Crystal growth of K_2CuF_4 and some solid solutions of $K_2CuF_4-K_2ZnF_4$ 46 (1979) 709
Wanklyn, B.M., see Maqsood 46 (1979) 671
Watanabe, H., see Matsui 46 (1979) 563
Watanabe, T. and K. Izumi, Growth and perfection of tetraoxane crystals 46 (1979) 747
Wiedemeier, H. and F.J. Csillag, Transport properties of the systems SnS_2-SnI_4 and SnS_2-I_2 46 (1979) 189
Wiegmann, W., see Petroff 46 (1979) 172
Woods, J., see Russell 46 (1979) 323

Yamada, S., J. Nanjo, S. Nomura and S. Hara, Morphology of iron pyrite crystals 46 (1979) 10
Yamaguchi, T., see Takahashi 46 (1979) 69
Yamai, I., see Oota 46 (1979) 331
Yamauchi, K., S. Yatsuya and K. Mihama, Growth of fine particles of the Fe–N system prepared by reactive gas evaporation technique 46 (1979) 615
Yang, K.H., see Ciszek 46 (1979) 527
Yatsuya, S., see Yamauchi 46 (1979) 615
Yoshimura, J., T. Miyazaki, T. Wada, K. Kohra, M. Hosaka, T. Ogawa and S. Taki, Measurement of local variations in spacing and orientation of lattice plane of synthetic quartz 46 (1979) 691

Zachová, J., Phase diagram of the adenine–sulphuric acid–water system and the growth of single crystals of two adenine sulphate salts 46 (1979) 198
Zaouk, A., A. Lebugle et G. Constant, Croissance cristalline d'arséniure de gallium par dépôt chimique en phase vapeur à partir du complexe monochlorodiéthylgallium–triéthylarsine 46 (1979) 415

SUBJECT INDEX

Activity coefficients 238
Adamantane 551
Adenine
– sulphate 198
Adsorption 495
Alloys 112, 387, 463, 479, 585, 771, 804
Aluminum
– titanum 387, 585
Akermanite 569
Apparatus
– for melt growth
– – by Bridgman–Stockbarger method
– – – of bronzes 557
– – – of tin selenide 491
– – – of II–VI and III–V compounds 575
– – – variation of, directional solidification
– – – – of silicon 527
– – by Czochralski method
– – – of barium hexaaluminate 85
– – – of bronzes 557
– – by floating zone (travelling solvent zone) method
– – – of gallium antimonide 35
– – – of indium antimonide 35
– – by uniaxial solidification method
– – – of silver germanium eutectic alloy 771
– for solution growth
– – by hydrothermal growth method
– – – of calcium hydroxyapatite 213
– – – of potassium hexatitanate 331
– – by low temperature method
– – – of adenine sulphate 198
– – – of rubidium silver iodide 286
– – – of calcium hydroxyapatite (powder) 213
– – – of hydrozonium tartrate 241
– for vapor growth
– – by chemical transport
– – – of garnets 399
– – by evaporation and condensation
– – – of cadmium sulphide 323
– – – of II–VI compounds 323
– – by modified hot wire method
– – – of titanium carbide 788
– for vapor–liquid–solid growth
– – of silver sulphide 504
– for thin film growth
– – by liquid phase epitaxy
– – – of gallium aluminum arsenide 253
– – – of gallium phosphide 59, 637
– – by reactive pulse plasma
– – – of boron nitride 136
– – by vapor phase epitaxy
– – – by chemical vapor deposition
– – – – of gallium arsenide 415
– – – – of gallium indium antimonide 205
– – – – of nickel chloride boracite 723
– – – – of niobium nitride 69
– – – – of silicon 630
– – – – of zinc sulphide 1
– – – – using liquid source
– – – – – for isotope separation 630
– – – by evaporation and condensation
– – – – of ice 427
– for miscellaneous purposes
– – by zone melting
– – – for purification and crystal growth 715

Barium
– fluoride bromide 711
– hexaaluminate 85
Boron
– nitride 136
Bronzes
– vanadium 557
Boundary layer control 623, 655

Cadmium
-sulphide 323
Calcium
– aluminate ($12\,CaO \cdot 7\,(Al_2O_3)$) 467
– hydroxyapatite 213
– oxalate 701
–silicate hydrate 421
Characterization methods
– by antiferromagnetic transition 671
– by atomic absorption spectrometry (AAS) 709
– by carrier density 265, 491, 595
– by cathodoluminescence 59
– by chemical analysis 198, 213, 355
– by dielectric properties 105, 274
– by domain properties 723
– by electrical conductivity 112, 415
– by electron diffraction 136, 139, 331, 415, 421, 491
– by electron microscopy 136, 172, 209, 221, 245, 362, 421, 527, 615, 637, 771, 783
– by electron probe micro analysis (EPMA) 75, 119, 221, 274, 277, 314, 399, 445, 463, 557, 607, 637, 671
– by ellipsometry 245
– by fluorescence 601

– by Hall mobility 289, 582
– by hardness 706
– by infrared spectroscopy 213, 623
– by ionic conductivity 286
– by interference techniques 10, 253, 314, 427
– by magnetic anisotropy 399
– by mass spectrometry 198, 289
– by neutron activation 463
– by neutron diffraction 463
– by NQR measurements 286
– by optical absorbance 59, 119, 623
– by optical microscopy 69, 75, 85, 155, 213, 253, 277, 289, 293, 307, 339, 399, 410, 445, 511, 557, 585, 595, 601, 671, 706, 711, 723, 763, 795, 804
– by optical properties 314, 379, 467, 706
– by photoluminescence 75, 265, 595, 637, 801
– by piezoelectricity 262
– by pyroelectric properties 105
– by scanning electron microscopy 10, 15, 69, 119, 143, 147, 205, 209, 213, 221, 300, 331, 355, 371, 387, 415, 467, 474, 504, 601, 665, 706, 723, 763, 771, 779, 788, 804
– by specific heat measurements 105
– by surface accoustic wave (SAW) properties 172
– by thermal analysis 198, 213, 274, 314, 410, 445, 467, 487
– by X-ray methods 10, 31, 69, 85, 105, 139, 151, 155, 198, 213, 289, 293, 314, 331, 339, 355, 371, 399, 421, 445, 463, 467, 474, 483, 491, 504, 557, 563, 607, 637, 671, 691, 709, 747, 763, 801, 804
Chromium(III) oxide 410
Computer simulation 55, 79, 451, 644, 743
Convection 35, 125, 277, 523, 623, 644, 655
Constitutional supercooling 601
Copper 15, 112, 209
– nickel alloy 804
Cryolithionite 461

Dendritic growth
– of aluminum titanium alloy 387
– of silicon 51
Diamond 157, 706
Diffusional control 15, 79, 269, 355, 479, 495, 630, 644, 655, 718
Diffusion coefficient, determination of 55
Dislocations 35, 43, 155, 293, 297, 307, 483, 563, 709, 747, 783
Dissolution 14, 355, 706, 711
Distribution coefficeint 51, 277, 445, 539

Entrainment method, modified (MEM) 21
Erbium
– iron garnet 399
Etching
– chemical 10, 15, 35, 75, 139, 262, 277, 297, 307, 355, 362, 403, 458, 585, 595, 623, 711, 783
– thermal 300, 355
Eutectic growth 172, 771

Ferroelectric switching 723
Flow-graph model 655
Flux function method 718

Gadolinium
– gallium garnet 483
Gallium
– aluminum arsenide 172, 245, 253
– aluminum phosphide 637
– antimonide 35
– arsenide 265, 415, 665, 795
– indium antimonide 205
– phosphide 59, 595, 637
Garnets 277, 307, 371, 399, 461, 483, 539, 601, 620, 743
Gehlenite 569
Germanium 172
Growth affinity 91, 96

Heat flow control 112, 403, 575, 601, 757
Hematite 451
Heusler alloys 463
Hexatriacontane ($C_{36}H_{74}$) 681
Hollow crystals 143, 147
Hydrazonium
– tartrate 241

Ice 379, 427, 779
Impurity 51, 59, 112, 179, 221, 265, 297, 307, 323, 551, 563, 582, 585, 637, 671, 691, 706, 711
Indium
– antimonide 31, 35
– gallium arsenide 75
– phosphide 289, 300, 563, 582, 783
Interface 7, 15, 51, 59, 172, 277, 427, 479, 495, 551, 623, 757, 779
Iron 43
– (III) oxide 451
– nitrogen system 615
– pyrite 10
Isotope separation 630

KDP 7
Kinetics
– of dissolution 15, 355, 620
– of growth 1, 10, 35, 59, 69, 79, 105, 112, 119, 143, 155, 221, 241, 269, 314, 362, 387, 403, 427, 495, 504, 511, 523, 534, 615, 620, 655, 665, 681, 701, 788
– of interface control 112, 245
– of mass transport 1
– of nucleation 7, 79
– of surface reactions 21

Lasers 253, 601
Lattice mismatch 399, 427, 607, 637
Lithium
– indium sulphide 801
– meta germanate 262
– meta silicate 262

– niobate-tantalate 314, 607
– tantalate 179
– zinc germanide 151
LED 59
Lanthanide
– molybdates 445
Lead
– carbonate 701
– tin selenide 491
– tin telluride 487

Magnesium
– ammonium phosphate hexahydrate 339
Manganese
– arsenide 763
Marangoni number 125
Melt growth
– by Bridgman–Stockbarger method
– – of bronzes, vanadium 557
– – of mercury cadmium telluride 623
– – of potassium copper (II) fluoride 709
– – of potassium zinc fluoride 709
– – of tin selenide 491
– – of II–VI, III–V compounds 575
– by Bridgman–Stockbarger method, variation
– – of silicon 527
– by Czochralski method
– – of barium hexaaluminate 85
– – of bronzes, vanadium 557
– – of calcium aluminate 467
– – of gadolinium gallium garnet 483, 743
– – of heusler alloys 463
– – of indium antimonide 31
– – of indium phosphide 563
– – of lithium metagermanate 262
– – of lithium metasilicate 262
– – of lithium tantalate 179
– – of rare earth molybdates 445
– – of tellurium 458
– – of yttrium aluminum garnet 371
– – computer simulation of 743
– by floating zone (travelling solvent zone) method
– – of gallium antimonide 35
– – of indium antimonide 35
– – of silicates 569
– – of sodium nitrate 125
– – of YIG (pure and substituted) 277, 307
– by freezing method
– – of ice 379
– by heat exchanger method
– – of Nd-YAG 601
– by isothermal supercooling
– – of copper 112
– by Kyropoulos method
– – of Heusler alloys 463
– by thermal decomposition
– – of chromic oxide 410
– by uniaxial solidification
– – of aluminium titanium alloy 387, 585
– – of lithium zinc germanide 151
– – of lithium indium sulphide 801
– – of silver germanium eutectic alloy 771
– – theory of 479
– from silicon melt
– – of silicon nitride 143
Mercury
– cadmium telluride 575, 623
– telluride 293
Modified entrainment method (MEM) 21
Molybdenum
– ditelluride 132
– trioxide 132
Morphological stability 155
Morphology of growth 10, 15, 35, 59, 69, 75, 85, 105, 139, 143, 147, 172, 185, 198, 213, 221, 241, 293, 297, 307, 314, 339, 379, 387, 410, 421, 427, 451, 474, 504, 511, 551, 585, 601, 607, 615, 665, 671, 763, 771, 779, 788, 795, 804

Nickel
– chloride boracite ($Ni_3B_7O_{13}Cl$) 723
– manganese tin alloy 463
– manganse vanadium tin alloy 463
Niobium
– nitride 69
– oxide 147
Nucleation 7, 79, 172, 585, 706, 723

Organic crystals 511

Perfection of crystals 35, 43, 75, 105, 139, 155, 379, 563, 601, 615, 691, 747
Periodic bond chain theory 339
Perovskites 155, 274
Phase diagrams 85, 157, 172, 198, 274, 293, 307, 314, 371, 487, 623, 671, 673
Phenomenological theory 362, 655
Polymorphism 671
Porosity of silica 323
Potassium
– copper (II) fluoride 709
– dihydrogen phosphate 7
– hexatitanate 331
– sodium niobate 274
– zinc fluoride 709
Programmable method
– for graphical presentation of crystal habits 185
Phthalic anhydride 297

Quartz 691

Rare earth
– disilicates 671
– garnets 539, 620

– molybdates 445
Rocking curve 563
Rubidium
– silver iodide ($RbAg_4I_5$) 286

Segregation 479, 585
Silicon 51, 119, 362, 527
– carbide 269, 403, 451
– nitride 143
Silicates
– calcium aluminum ($Ca_2Al_2SiO_7$) 569
– calcium magnesium ($Ca_2MgSi_2O_7$) 569
Silver
– germanium alloy 771
– sulphide 504
Sodium
– aluminum lithium fluoride (garnet) 461
– nitrate 125
Solar cells 527
Solid growth
– by electrocrystallization
– – of niobium oxide 147
– by high pressure
– – of diamond 157
– by hydrogen reduction
– – of copper–nickel alloy 804
– by recrystallization
– – of silicon 119
Solid solution 274, 314, 445, 585, 709
Solubility 105, 198, 241, 534, 539
Solution growth
– by flux method
– – of barium fluoride bromide 711
– – of gallium phosphide 595
– – of garnets 539, 620
– – of potassium sodium niobate 274
– – of rare earth disilicates 671
– by hydrothermal growth
– – of calcium hydroxyapatite 213
– – of calcium silicate hydrate (tobermorite) 421
– – of potassium hexatitanate 331
– – of strontium aluminosilicate 474
– by low temperature method
– – of adenine sulphate 198
– – of calcium oxalate hydrates 355
– – hydrazonium tartrate 241
– – of hexatriacontane 681
– – of magnesium ammonium phosphate hexahydrate 339
– – of potassium dihydrogen phosphate 7
– – of rubidium silver iodide 286
– – of sodium aluminum lithium fluoride (garnet) 461
– – of sucrose 534
– – tetraoxane 747
– – of triglycine fluoroberyllate, deuterated 105
– by thermal decomposition
– – of chromic oxide 410
– theory of 79, 238
Spiral growth 451, 681
Statistical mechanics 495
Stefan problem or moving boundary problem 763
Step 10, 15, 155, 451
Strain 31, 691, 723
Strontium
– alumino silicate ($SrAlSi_2O_8$) 474
Sucrose
Supercooling, supersaturation 1, 7, 91, 96, 112, 238, 241, 269, 339, 355, 371, 387, 495, 511, 534, 581
Superionic conductor 286
Superlattice 172
Surface energy, determination of 7
Surface process, theory 15, 21, 125, 269, 551, 581
Surface structure 10, 15, 155, 297, 511, 581, 779

Tellurium 458
Temperature oscillations 125
Tetraoxane $(-CH_2-O-)_4$ 747
Thermodynamics, theory 21, 91, 96, 189, 238, 355, 403, 483, 495, 487, 495, 534, 539, 637, 644, 718, 723
Thin film growth
– by liquid phase epitaxy
– – of gallium aluminum arsenide 253
– – of gallium arsenide 265
– – of gallium phosphide 59, 595, 637
– – of garnets 539, 620
– – of indium phosphide 300
– – of lithium niobate tantalate 314, 607
– – theory of 620
– by molecular beam epitaxy
– – of gallium aluminum arsenide 172
– – of germanium 172
– by reactive pulse plasma
– – of boron nitride 136
– by vapor phase epitaxy
– – by chemical vapor deposition
– – – of gallium aluminum arsenide 245
– – – of gallium arsenide 415, 665, 795
– – – of gallium indium antimonide 205
– – – of indium phosphide 582
– – – of nickel chloride boracite 723
– – – of niobium nitride 69
– – – of YIG substituted 399
– – – of zinc sulphide 1
– – – theory of 630, 655
– – by evaporation and condensation
– – – of copper 209
– – – of ice 427
– – – of silicon 362
– – – of silicon carbide 269, 403
– – – theory of 362
Tin
– disulphide 189
– selenide 491
Titanium
– carbide 221, 788

Tobermorite 421
Triglycine fluoroberyllate, deuterated 105
Tungsten
– disulphide 139
Twinning 262
II–VI compounds 323

Vanadium bronzes 557
Vapor growth
– by chemical transport
– – of gallium arsenide 21, 795
– – of indium phosphide 582
– – of iron pyrite 10
– – of molybdenum ditelluride 132
– – of molybdenum trioxide 132
– – of nickel chloride boracite 718, 723
– – of sulphur 644
– – of tin disulphide 189
– – of zinc 644
– – theory of 21, 523
– by evaporation and condensation
– – of adamantane 557
– – of cadmium sulphide 323
– – of ice 779
– – of iron–nitrogen system 615
– – of mercury telluride 293
– – of silicon carbide 403
– – of tungstne disulphide 139
– – of II–VI compounds 323
– by modified hot wire method
– – of titanium carbide 788
Vapor–liquid–solid growth
– – of manganess arsenide 763
– – of silicon carbide 403
– – of silver sulphide 504

Whisker growth
– of iron 43
– of iron pyrite 10
– of manganese arsenide 763
– of silicon nitride 143
– of silver sulphide 504
– of titanium carbide 221

Yttrium
– aluminum garnet 371, 601
– – neodynmium doped 601
– iron garnet 277, 539
– – aluminum substituted 277, 307
– – europium substituted 399
– – gallium substituted 277, 307
– – gallium–lanthanum substituted 539
– – ytterbium substituted 399

Zinc
– sulphide 1